






Presentation Space Lighting Upgrade





Presentation Space Lighting Upgrade [Result]



Space Dim. - 54' L x 33' W x 13' H





Presentation Space Lighting Upgrade

Light Angle, **Side View**

Total Fixture-





P5F
(14x)



P3X
(10x)



Lighting On The Talents

P5F
(12x)
INT100%





Lighting On The Talents

P5F
(2x)
INT 60%



Lighting On The Curtain


P3X
(10x)
INT100%




Presentation Space Lighting Upgrade

Heat Map, **Front View**

Lighting On The Talents



Lighting On The Curtain



Presentation Space Lighting Upgrade BOM

Part No.	Description	QTY
CXP3X-CLR-WH-TOX-PSP-US	P3X Track Spot Light (90W / 60°)	10
CXP5F-CLR-WH-TOX-PSP-US	P5F Track Fresnel Light (175W / 12-55°)	14
CX-9000-UL4/W-ST2-120	4ft, 120V, 2 Circuit w/ DataBus, White	1
CX-9000-UL8/W-ST2-120	8ft, 120V, 2 Circuit w/ DataBus, White	7
CX-9001/W-2C	Live End, 2 Circuit w/ DataBus, Right, White	2
CX-9002/W-2C	Live End, 2 Circuit w/ DataBus, Left, White	2
CX-9010/W-2C	Straight coupler w/ DataBus & Power Feed, White	6