

# W360 Interior Landscape / Aquascape Light

## 80W LED / 15°



- Plant / Coral Focused Light Spectrum
- High-Intensity Point Source LED
- Low-Profile
- DMX Controllable
- Also Available with Other Optics

### ORDERING GUIDE

CXW360S -  -  -  -  -

#### Spectrum

AMZ Amazon Sun (4000 - 6500K)  
TB Tuna Blue (10000 - 20000K)

#### Finish

WH White  
BK Black

#### Mount

TOX w/ O-type DMX Track Adapter  
TON w/ O-type Non-DMX Track Adapter  
CLP w/ Clamp Mount  
MPT w/ Monopoint Adapter Mount (PSX+120V only)  
TG w/ G-type Track Adapter Legacy product  
TEX w/ E-type DMX Track Adapter

#### Power Supply & Control

PS Power Supply  
 US  EU  
 PSX Power Supply w/ DMX (compatible with TOX/MPT mount)  
 US  EU

#### Plug/Connection


US US 120V  
EU EU 220V

### SPECIFICATIONS


Beam Angle	15°
Spectrum Type	AMZ : Plant Flourish & Growth
	TB : Coral Health & Growth
Control	Intensity (0% - 100%), CCT
LED Source	DiCon Dense Matrix LED
AC Power Draw	80W max
AC Input Voltage	100 - 240V AC, 60Hz
Cooling	Fan Cooled
Operating Temperature	32 - 104°F (0 - 40°C)
Fixture Weight	1.3lb (0.6kg)
Power Supply Weight	1.0lb (0.4kg)

**MECHANICAL FIGURES**


**W360S-TOX/TON**




**PS US**




**PSX US**




**W360S-TOX/TON**




**PS EU**




**PSX EU**




**W360S-CLP**



**PS US EU**




**Mounting Bracket Dimensions ALL-CLP**




\*All -CLP configuration models come with standard DC cables of 6" and AC cables of 10'.


**W360S-MPT**



**PSX US**




**PSX EU**




MECHANICAL FIGURES

W360S-TEX


Legacy product



PS US EU





PSX US EU




W360S-TG

Legacy product




PHOTOMETRIC DATA

AMZ




Distance		3' (~0.9 m)	5' (~1.5 m)	10' (~3.0 m)
@4000K	fc	2244	1131	221
	lux	24148	12165	2377
@6500K	fc	2272	1145	224
	lux	24446	12316	2406
Beam Diameter		Ø 0.9' (0.3m)	Ø 1.5' (0.4m)	Ø 2.9' (0.9m)

Beam Angle : 15°




TB



Distance		3' (~0.9 m)	5' (~1.5 m)	10' (~3.0 m)
@10000K	fc	1622	584	145
	lux	17457	6285	1551
@20000K	fc	890	321	80
	lux	9570	3445	851
Beam Diameter		Ø 0.9' (0.3m)	Ø 1.5' (0.4m)	Ø 2.9' (0.9m)

Beam Angle : 15°



**DMX FOOTPRINT**

Amazon Sun		
Channel	1	Intensity
	2	CCT (4000-6500k)

Tuna Blue		
Channel	1	Intensity
	2	CCT (10000-20000k)
	3	Violet
	4	Red
	5	Green