

W360 Interior Landscape / Aquascape Light

80W LED / 130°



- Plant / Coral Focused Light Spectrum
- Flicker-free for animal welfare
- High-Intensity Point Source LED
- Low-Profile
- DMX Controllable
- Also Available with Other Optics

ORDERING GUIDE

CXW360X - - - - -

Spectrum

AMZ Amazon Sun (4000 - 6500K)
TB Tuna Blue (10000 - 20000K)

Finish

WH White
BK Black

Mount

TOX w/ O-type DMX Track Adapter
TON w/ O-type Non-DMX Track Adapter
CLP w/ Clamp Mount
MPT w/ Monopoint Adapter Mount (PSX+120V only)
TG w/ G-type Track Adapter Legacy product
TEX w/ E-type DMX Track Adapter

Power Supply & Control

PS Power Supply
 US EU
 PSX Power Supply w/ DMX
 (compatible with TOX/MPT mount)
 US EU

Plug/Connection


US US 120V
EU EU 220V

SPECIFICATIONS


Beam Angle	130°
Spectrum Type	AMZ : Plant Flourish & Growth
	TB : Coral Health & Growth
Control	Intensity (0% - 100%), CCT
LED Source	DiCon Dense Matrix LED
AC Power Draw	80W max
AC Input Voltage	100 - 240V AC, 60Hz
Cooling	Fan Cooled
Operating Temperature	32 - 104°F (0 - 40°C)
Fixture Weight	0.8lb (0.3kg)
Power Supply Weight	1.0lb (0.4kg)

MECHANICAL FIGURES


W360X-TOX/TON




PS US




PSX US




W360X-TOX/TON




PS EU




PSX EU



W360X-CLP




PS US EU




*All -CLP configuration models come with standard clamp pipe diameters that range from 1.8" to 2.0".

Mounting Bracket Dimensions ALL-CLP




*All -CLP configuration models come with standard DC cables of 6" and AC cables of 10'.


W360X-MPT



PSX US




PSX EU




MECHANICAL FIGURES


W360X-TEX Legacy product





PS US EU



PSX US EU



W360X-TG Legacy product




PHOTOMETRIC DATA

AMZ

Distance		3' (~0.9 m)	5' (~1.5 m)	10' (~3.0 m)
@4000K	fc	156	82	20
	lux	1679	880	214
@6500K	fc	158	83	21
	lux	1700	891	217
Beam Diameter		Ø 5.2' (1.6m)	Ø 8.8' (2.7m)	Ø 17.5' (5.3m)


Beam Angle : 130°



TB

Distance		3' (~0.9 m)	5' (~1.5 m)	10' (~3.0 m)
@10000K	fc	96	35	11
	lux	1028	370	110
@20000K	fc	47	17	6
	lux	498	179	57
Beam Diameter		Ø 5.2' (1.6m)	Ø 8.8' (2.7m)	Ø 17.5' (5.3m)

Beam Angle : 130°



DMX FOOTPRINT

Amazon Sun		
Channel	1	Intensity
	2	CCT (4000-6500k)

Tuna Blue		
Channel	1	Intensity
	2	CCT (10000-20000k)
	3	Violet
	4	Red
	5	Green